

EN

DIY



UNIQUE DIY CONCEPT

**NEW WAYS AND SMART SOLUTIONS** 


THOUSANDS OF DOORS SOLD – NO ISSUES

**SATISFIED CUSTOMERS** 

10 reasons to choose DoorHan







5 most popular basic colour Panel type – M-Line; Structure – Woodgrain 15 standard sets – according to door dimensions Any other combination is available only for orders of 10 or more doors.

Basic colours









Standard dimensions

	Widthr (mm)				
Height (mm)	2375	2500	2750	3000	3500
2030	~	~	~	~	~
2150	~	~	~	~	~
2280	~	~	~	~	~

Structure Woodgrain



pure white

Panel type – M-Line




SPECIAL OFFER



Colour Satingrey



Surface type smooth



Panel type M-Ligne

Not-standard doors solution

Possibility to modify doors dimenions according to customer needs by cutting panels and tracks. Maximal door height – 2280 mm Maximal door width - 3500 mm

Fast delivery



Stock reservs and simple ordering system guarantee fast delivery terms. More than 2000 kits of RSD01 DIY Sectional doors and DIY Hardaware sets are always on stock.



A revolutionary compact and robust package


High quality package, which "decreases" eliminates logistic costs and eliminate transport damages.

"NO NAME" concept

DIY sets are supplied without DoorHan logo. Possibility to sell DIY sets under your own brand.







20 DIY sets on one pallette.
Up to 200 DIY sets fit in one truck, which guarantee a low-budget and effective logistics.

10

We are the first

This product can not be offered to you by any other company. We came with the list of know-how ideas.





**IMMEDIATELY** 

SELF


LOW-BUDGET

AND COMFORTABLE

Technical informations and general terms of trade

11

## RSD01 DIY Sectional doors and DIY Harware sets construction





Thermal inslutaion of sandwich panels (40 mm). Thermal transmittance U = 1.2W/(m2.K). Doors are sealed along the perimeter. Hidden bottom profile with rubber sealing.



# Apparently the most resistant and reliable doors on the market

Most of componets are made from steel.



#### Tensions springs system

Springs are compatible with all door dimensions.



# Adjustible door movement

It is possible to adjust door movement using punched guides and screw connections.




### Safety

Panels with finger protection.



# Operator

We recommend to equip the doors with DIY – 500KITCE operator, for a more comfortable use. The operator is supplied with a folding rail and two 4-channel transmitters in a compact package.

















## **DoorHan**\*

Kralovský Vrch 2018 432 01 Kadaň Česká republika

telefon / +420 474 319 111 e-mail / kadan@doorhan.com

Contacts

www.doorhan.com